ELSEVIER

Neuroscience Letters

Also available on SCIENCE DIRECT®
www.sciencedirect.com

Volume 361 No. 1–3, 6 May 2004

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Current Contents/Life Sciences, EMBASE/Excerpta Medica, Index Medicus, PASCAL M and Science Citation Index). Full text available in ScienceDirect.

CONTENTS

Festschrift dedicated to Prof. Manfred Zimmermann on the occasion of his 70th birthday

Guest editors: E. Carstens & R. Westerman

Manfred Zimmermann's contributions to pain research and therapy
E. Carstens, R. Westerman (USA, Australia) 1
Receiving the baton: a tribute to Manfred Zimmermann
S.G. Waxman (USA) 3
Stimulating music increases motor coordination in patients afflicted with Morbus Parkinson
G. Bernatzky, P. Bernatzky, H.-P. Hesse, W. Staffen, G. Ladurner (Austria) 4
Relationship between hippocampal volume and CA1 neuron loss in brains of humans with and without Alzheimer's disease
J.J. Kril, J. Hodges, G. Halliday (Australia, UK) 9
Diseases of modern living: neurological changes associated with mobile phones and radiofrequency radiation in humans
R. Westerman, B. Hocking (Australia) 13
Distribution of cerebral atrophy assessed by magnetic resonance imaging reflects patterns of neuropsychological deficits in Alzheimer's dementia
J. Pantel, P. Schönknecht, M. Essig, J. Schröder (Germany) 17
Long-lasting motor cortex disinhibition after short transient ischemic attacks (TIAs) in humans
C. Koerner, H.-M. Meinck (Germany) 21
Laser evoked potentials for assessing sensory neuropathy in human patients
A. Truini, A. Romaniello, F. Galeotti, G.D. Iannetti, G. Cruccu (Italy) 25
Leg length inequality in humans: a new neurophysiological approach
W. Burke (Australia) 29
Nicotinic receptor mediated stimulation of NO-generation in neurons of rat thoracic dorsal root ganglia
S. Papadopolou, P. Hartmann, K.S. Lips, W. Kummer, R.V. Haberberger (Germany) 32
Activation of the c-Jun transcription factor following neurodegeneration in vivo
J. Schenkel (Germany) 36
Interleukin 1α and interleukin 6 protect human neuronal SH-SY5Y cells from oxidative damage
C.J. Bissonnette, A. Klegeris, P.L. McGeer, E.G. McGeer (Canada) 40
Molecular determinants of two neurotoxins that regulate sodium current inactivation in rat hippocampal neurons
N. Kawai, K. Konno (Japan, Brazil) 44
Cdk5: mediator of neuronal death and survival
Z.H. Cheung, N.Y. Ip (China) 47
GDNF promotes neuronal differentiation and dopaminergic development of mouse mesencephalic neurospheres
E. Roussa, K. Krieglstein (Germany) 52
Comparative effects of huperzine A, donepezil and rivastigmine on cortical acetylcholine level and acetylcholinesterase activity in rats
Y.Q. Liang, X.C. Tang (China) 56
Post-synaptic *N*-methyl-D-aspartate signalling in hippocampal neurons of rat: spillover increases the impact of each spike in a short burst discharge
S.E. Grebenyuk, N.A. Lozovaya, T.S. Tsintsadze, O.A. Krishtal (Ukraine) 60
Neurodegenerative and physiological actions of c-Jun N-terminal kinases in the mammalian brain
V. Waetzig, T. Herdegen (Germany) 64
Opposite effects of γ_1- and γ_2-melanocyte stimulating hormone on regulation of the dopaminergic mesolimbic system in rats
B. Jansone, L. Bergstrom, S. Svirskis, J. Lindblom, V. Klusa, J.E.S. Wikberg (Latvia, Sweden) 68

Contents

Interaction of γ-aminobutyric acid receptor type B receptors and calcium channels in nociceptive transmission studied in the mouse hemisected spinal cord in vitro: withdrawal symptoms related to baclofen treatment
K. Dang, N.G. Bowery, L. Urban (UK, USA) 72

Nervous system injury: focus on the inflammatory cytokine 'granulocyte-macrophage colony stimulating factor'
R. Franzen, D. Bouhy, J. Schoenen (Belgium) 76

Spinal *c-fos* expression associated with spontaneous biting in a mouse model of dry skin pruritus
H. Nojima, J.M. Cuellar, C.T. Simons, M.I. Carstens, E. Carstens (Japan, USA) 79

Three bands of oscillatory activity in the lateral geniculate nucleus of the cat visual system
N.F. Podvigin, T.V. Bagaeva, E.V. Boykova, A.A. Zargarov, D.N. Podvigina, E. Pöppel (Russia, Germany) 83

Longterm stability and developmental changes in spontaneous network burst firing patterns in dissociated rat cerebral cortex cell cultures on multielectrode arrays
J. Van Pelt, M.A. Corner, P.S. Wolters, W.L.C. Rutten, G.J.A. Ramakers (The Netherlands) 86

Activation of the intracerebral cholinergic nerve fibers originating in the basal forebrain increases regional cerebral blood flow in the rat's cortex and hippocampus
A. Sato, Y. Sato, S. Uchida (Japan) 90

Preserved reticular neuronal activity during selective delivery of supra-clinical isoflurane concentrations to brain in goats and its association with spontaneous movement
J.F. Antognini, S.L. Jinks, E.E. Carstens, R.J. Atherley (USA) 94

Multiple representation of sensory system input in the cerebral cortex:the new phrenology?
M. Rowe (Australia) 98

Effects of spinal and peripheral nerve lesions on the intersegmental synchronization of the spontaneous activity of dorsal horn neurons in the cat lumbosacral spinal cord
C.A. García, D. Chávez, I. Jiménez, P. Rudomin (Mexico) 102

Oscillatory activity in forelimb muscles of behaving monkeys evoked by microstimulation in the cerebellar nuclei
T.D. Aumann, E.E. Fetz (USA) 106

Brain development during fetal life: influences of the intra-uterine environment
S. Rees, R. Harding (Australia) 111

Efficacy of sonothrombolysis in a rat model of embolic ischemic stroke
M. Daffertshofer, Z. Huang, M. Fatar, M. Popolo, H. Schroeck, W. Kuschinsky, M.A. Moskowitz, M.G. Hennerici (Germany, USA) 115

S 18986, a positive modulator of AMPA receptors with cognition-enhancing properties, increases ACh release in the hippocampus of young and aged rat
S. Rosi, M.G. Giovannini, P.J. Lestage, C. Muñoz, L.D. Corte, G. Pepeu (Italy, France) 120

Neuropeptide research discloses part of the secrets of Alzheimer's disease neuropathogenesis: state of the art 2004
F.W. van Leeuwen (The Netherlands) 124

Intranasal administration of NAP, a neuroprotective peptide, decreases anxiety-like behavior in aging mice in the elevated plus maze
R.N. Alcalay, E. Giladi, C.G. Pick, I. Gozes (Israel) 128

SRA880, in vitro characterization of the first non-peptide somatostatin sst_1 receptor antagonist
D. Hoyer, C. Nunn, J. Hannon, P. Schoeffter, D. Feuerbach, E. Schuepbach, D. Langenegger, R. Bouhelal, K. Hurth, P. Neumann, T. Troxler, P. Pfaeffli (Switzerland) 132

Secondary tactile hypoesthesia: a novel type of pain-induced somatosensory plasticity in human subjects
W. Magerl, R.-D. Treede (Germany) 136

Spatial integration of cold pressor pain sensation in humans
I.K. Martikainen, M.V. Närhi, A. Pertovaara (Finland) 140

Methodologic factors which contribute to variations in experimental pain threshold reported for older people
R.D. Helme, A. Meliala, S.J. Gibson (Australia) 144

Peripheral and electrocortical responses to painful and non-painful stimulation in chronic pain patients, tension headache patients and healthy controls
H. Flor, M. Diers, N. Birbaumer (Germany) 147

Classification of psychosocial risk factors (yellow flags) for the development of chronic low back and leg pain using artificial neural network
D. Hallner, M. Hasenbring (Germany) 151

Direct evidence for activation and desensitization of the capsaicin receptor by *N*-oleoyldopamine on TRPV1-transfected cell, line in gene deleted mice and in the rat
J. Szolcsányi, Z. Sándor, G. Pethő, A. Varga, K. Bölcskei, R. Almási, Z. Riedl, G. Hajos, G. Czéh (Hungary) 155

Histamine-induced Ca^{2+} influx via the PLA_2/lipoxygenase/TRPV1 pathway in rat sensory neurons
B.M. Kim, S.H. Lee, W.S. Shim, U. Oh (South Korea) 159

Responsiveness of C-fiber nociceptors to punctate force-controlled stimuli in isolated rat skin: lack of modulation by inflammatory mediators and flurbiprofen
T. Schlegel, S.K. Sauer, H.O. Handwerker, P.W. Reeh (Germany) 163

The many functions of nerve growth factor: multiple actions on nociceptors
J.C. Petruska, L.M. Mendell (USA) 168

The proportion of TRPV1 protein-positive lumbar DRG neurones does not increase in the course of acute and chronic antigen-induced arthritis in the knee joint of the rat
K.-J. Bär, H.-G. Schaible, R. Bräuer, K.-J. Halbhuber, G.S. von Banchet (Germany) 172

A role for substance P in arthritis?
J.E. Keeble, S.D. Brain (UK) 176

Octreotide, a somatostatin analogue, attenuates movement evoked discharges of fine afferent units from inflamed knee joints of rats
M. Pawlak, R.F. Schmidt (Germany) 180
Recent findings on how proinflammatory cytokines cause pain: peripheral mechanisms in inflammatory and neuropathic hyperalgesia
C. Sommer, M. Kress (Germany, Austria) 184
Peripheral nerve injury evokes disabilities and sensory dysfunction in a subpopulation of rats: a closer model to human chronic neuropathic pain?
K.A. Keay, C.R. Monassi, D.B. Levison, R. Bandler (Australia) 188
Opioids and opioid receptors in the enteric nervous system: from a problem in opioid analgesia to a possible new prokinetic therapy in humans
P. Holzer (Austria) 192
Effects of a chronic myositis on structural and functional features of spinal astrocytes in the rat
S. Tenschert, A. Reinert, U. Hoheisel, S. Mense (Germany) 196
Presynaptic inhibition and spinal pain processing in mice: a possible role of the NKCC1 cation-chloride co-transporter in hyperalgesia
J.M.A. Laird, E. García-Nicas, E.J. Delpire, F. Cervero (Spain, Canada, USA) 200
Selective C-fiber deafferentation of the spinal dorsal horn prevents lesion-induced transganglionic transport of choleragenoid to the substantia gelatinosa in the rat
G. Jancsó, P. Sántha, C. Szigeti, M. Dux (Hungary) 204
Effects of peripheral nerve injury on delta opioid receptor (DOR) immunoreactivity in the rat spinal cord
L.S. Stone, L. Vulchanova, M.S. Riedl, F.G. Williams, G.L. Wilcox, R. Elde (USA) 208
c-Fos expression in the spinal cord of female rats with artificial ureteric calculosis
A. Aloisi, I. Ceccarelli, G. Affaitati, R. Lerza, L. Vecchiet, D. Larenna, M.A. Giamberardino (Italy) 212
Substance P release in the cat spinal cord upon afferent C-fibre stimulation is not attenuated by clonidine at analgesic doses
Z.-Q. Zhao, G. Lacey, I.A. Hendry, C.R. Morton (Australia) 216
Activation of presynaptic group I metabotropic glutamate receptors enhances glutamate release in the rat spinal cord substantia gelatinosa
Y.-K. Park, J. Galik, P.D. Ryu, M. Randic (USA, Slovakia, South Korea) 220
To the descending pain-control system in rats, inflammation-induced primary and secondary hyperalgesia are two different things
H. Vanegas (Venezuela) 225
Descending serotonergic facilitation mediated through rat spinal 5HT3 receptors is unaltered following carrageenan inflammation
W. Rahman, R. Suzuki, L.J. Rygh, A.H. Dickenson (UK) 229
Spinal neurons involved in the generation of at-level pain following spinal injury in the rat
R.P. Yezierski, C.-G. Yu, P.W. Mantyh, C.J. Vierck, D.A. Lappi (USA) 232
Cerebellar neural responses related to actively and passively applied noxious thermal stimulation in human subjects: a parametric fMRI study
C. Helmchen, C. Mohr, C. Erdmann, F. Binkofski (Germany) 237
Single-trial detection of human brain responses evoked by laser activation of Aδ-nociceptors using the wavelet transform of EEG epochs
A. Mouraux, L. Plaghki (Belgium) 241
The involvement of the posterior cingulate gyrus in phasic pain processing of humans
B. Bromm (Germany) 245
Corticospinal excitability during painful self-stimulation in humans: a transcranial magnetic stimulation study
L. Fadiga, L. Craighero, G. Dri, P. Facchin, M.F. Destro, C.A. Porro (Italy) 250
Synaptic plasticity in the amygdala in a visceral pain model in rats
J.S. Han, V. Neugebauer (USA) 254
Acupuncture and endorphins
J.-S. Han (PR China) 258
Testosterone affects formalin-induced responses differently in male and female rats
A.M. Aloisi, I. Ceccarelli, P. Fiorenzani, A.M. De Padova, C. Massafra (Italy) 262
Alpha-2-adrenergic and opioid receptor additivity in rat locus coeruleus neurons
L.S. Stone, G.L. Wilcox (USA) 265
Brain-derived neurotrophic factor-elicited or sciatic ligation-associated phosphorylation of cyclic AMP response element binding protein in the rat spinal dorsal horn is reduced by block of tyrosine kinase receptors
G. Miletic, E.N. Hanson, V. Miletic (USA) 269
Selective bibliography of Manfred Zimmermann 1960–2004
A. Manisali (Germany) 272

Author Index 281